



UNITED
HOTEL SUPPLY

“Your
TRUSTED
PARTNER IN
Hospitality
Solutions”



www.unitedhotelsupply.com | +1 352 644 9600

Supplying **quality, comfort, and style** to
hotels and motels across America.

Hi There!
Welcome to
**UNITED
HOTEL
SUPPLY**

At United Hotel Supply, we believe every guest experience begins with the right environment. From elegant lighting that sets the mood to durable flooring, comfortable furnishings, and smart in-room appliances — **we bring you everything** you need to create spaces that impress.

For over a decade, we've been the trusted partner of hotels, motels, and hospitality businesses across the nation, delivering **premium quality, reliable service, and competitive pricing.**

Why Choose **Us?**



15,000+ UNIQUE
PRODUCTS



SERVING **500+** HOTELS
ACROSS THE USA



NATIONWIDE
WAREHOUSES



GLOBAL
SOURCING

We understand that hospitality is about more than just a room — it's about comfort, reliability, and lasting impressions. That's why we've carefully curated a **complete range of hotel essentials** designed to enhance guest satisfaction and support operational efficiency.

DOOR LOCKS

Securing Access. Elevating Confidence.

Ensure safety and seamless entry with advanced hotel door locks. Engineered for reliability and design harmony, they combine modern technology with durable construction, offering guests security they trust and convenience they remember



SMART ACCESS



SECURE RELIABILITY



ADVANCED TECH



LOW MAINTENANCE


Because every great stay begins with a secure welcome.





HOTEL LOCK MANAGEMENT SYSTEM

HOTEL INTELLIGENT DOOR LOCK SYSTEM IS A SET OF SOFTWARE AND HARDWARE INTEGRATED SYSTEM, WHICH IS COMPOSED OF THE FOLLOWING PARTS:



PRODUCT PARAMETERS

REMARKS: EVERY PART NEEDS TO PURCHASE INDIVIDUALLY.

>> **SOFTWARE SYSTEM**

SUPPORT WINDOWS 3.1 AND ABOVE SYSTEMS

>> **MANAGEMENT SOFTWARE**

MANAGE THE SYSTEM, INCLUDING SETTING THE DOOR LOCK FUNCTION, LIMMITING THE PERMISSIONS OF THE CARDHOLDER, READING THE UNLOCKING RECORD, ADJUSTING THE CLOCK INSIDE THE LOCK ETC.

>> **CARD ENCODER**

CONNECT WITH THE COMPUTER'S USB INTERFACE TO OPERATE THE CARD.

>> **SMART CARD**

DEVIDED INTO NORMAL CARD AND MANAGEMENT CARD.

>> **NORMAL CARD FUNCTIONS**

ROOM CARD, CLEANING CARD, FLOOR CARD, BUILDING CARD, MASTER CARD

>> **MANAGEMENT CARD FUNCTIONS**

ROOM NO. SETTING CARD.DATE/TIME SETTING CARD.RECORD CARD,AREA CARD.

>> **CARD TYPE**

TEMIC (D801 57)/MIFARE 1 (D801*M1)

SCALABLE SMART CARD (MIFARE-1)



INTELLIGENT MANAGEMENT OF INTERNAL STAFF



PRODUCT PARAMETERS

MAIN FUNCTION

We takes the Mifare-1 Card as the core technology, connect the Hotel Management System, Access Control Management System Parking Management System, Catering Management System, Attendance System and other subsystems integrated into a whole Guests only need a Mifare-1 card to complete a series of related operations such as check-in, entertainment, settlement, etc. Realize the automation and simplification of hotel consumption, it not only guarantees the independence of the operation of various:departments of the hotel, but also guarantees the unity of hotel management.

Mifare Smart Card is characterized by its high capacity, high reliability (avoid the infuence of foreign matter pollution due tomechanical contacts), safety and anti-counterfeiting, simple operation and long service life. it is widely used in inteligent buildingsvarious public charges, inteligent community property management, campus and factory allin-one cards and other systems

OTHER APPLICATION

Smat Door Lock System provides not only an integrated and systematic application of management for hotels, but also provides safe and convenient managerial solutions for schools, hospitals, buildings, government, military and other public places. Electronic locks provide the mature and complete access control flexible and convenient management system, to ensure the Dverifications, tracking records and access riahts




PRODUCT PARAMETERS

ELOCK V8 SMART DOOR LOCK MANAGEMENT SYSYEM

V8 System Mifare series smart card door lock circuit board is our company for the hotel to quickly check in to the launch of intelligent access control products. Smart door lock circuit board using stable performance, widely used smart card (Mifare) as a key to open the door, door lock module with microcomputer intelligent control, is a safe and reliable, advanced technology, flexible and convenient operation, easy to manage the multi-functional smart card door lock. Applicable to hotels, guesthouses, government departments, modern offices, office buildings, residential buildings, etc.

HOTEL DOOR LOCK SYSTEM COM



Smart circuit board module :

There is an electronic control board of Mifare, which is used to read and judge the card, and drive the motor to work.



Smart door lock management system :

There is an electronic control board of Mifare, which is used to read and judge the card, and drive the motor to work.



Card encoder:

Device for reading and writing cards, connected to a computer with a USB cable.




Card:

Support Mifare card, is the carrier of data. If you shine a bright light on it, you can see a wire ring and a chip inside. Door lock management system through the card encoder, the room number, time and other information written into the card, and then the guest can take this card to open the door.

ELOCK V8 HOTEL SYSTEM INSTRUCTION

eLock intelligent door lock system adopts stable performance and widely used smart card (Mifare) as the intelligent control of the microcomputer inside the door key lock, which is a multi-functional smart card door lock with safe, reliable, advanced technology, flexible operation and convenient management.



APPLICATION



STAR CHAIN HOTEL




CAMPUS OFFICE BUILDING



PARK OFFICE BUILDING




GUEST HOUSE B&B HOTEL



PRODUCT PARAMETERS

CORE FUNCTIONS	UNLOCK METHODS	SOFTWARE FUNCTIONS
DEVICES MANAGEMENT (LOCK, GATEWAY, ELEVATOR CONTROLLER, POWER SWITCH) ROOM STATUS DISPLAY, STAFF MANAGEMENT, PERMISSION MANAGEMENT	SUPPORT BLUETOOTH, ROOM CARD, PASSWORD AND REMOTE UNLOCKT	ROOM STATUS DISPLAY DIRTY ROOM, CLEAN ROOM, REPAIR, CHECK-IN

 ROOM MANAGEMENT GUEST ROOM, COMMON DOOR	 DEVICES MANAGEMENT (LOCK, GATEWAY, ELEVATOR CONTROLLER, POWER SWITCH)
 STAFF MANAGEMENT STAFF PERMISSION, DOOR OPEN PERMISSION (MASTER CARD, FLOOR CARD ETC.)	 MULTI LANGUAGES OPTIONAL SIMPLE CHINESE, TRADITIONAL CHINESE,ENGLISH, FRENCH, RUSSIAN, PORTUGUESE.



REMARKS: EVERY PART NEEDS TO PURCHASE INDIVIDUALLY.

>> SOFTWARE SYSTEM

SUPPORT WINDOWS 7.0 AND ABOVE SYSTEMS.

>> MANAGEMENT SOFTWARE

MANAGE THE SYSTEM, INCLUDING SETTING THE DOOR LOCK FUNCTION, LIMITING THE PERMISSIONS OF THE CARDHOLDER, READING THE UNLOCKING RECORD ADJUSTING THE CLOCK INSIDE THE LOCK ETC.

>> CARD ENCODER

CONNECT WITH THE COMPUTER'S USB INTERFACE TO OPERATE THE CARD.

>> SMART SWITCH

CAN USE CARD/PHONE BLUETOOTH CONTROLLED NEARBY CAN CONNECTED GATEWAY CONTROLLED REMOTELY

>> NORMAL CARD FUNCTIONS

ROOM CARD, CLEANING CARD, FLOOR CARD, BUILDING CARD, MASTER CARD.


>> CARD TYPE

TEMIC (0801 57)/MIFARE 1 (D801-M1)

>> ELEVATOR CONTROLLER

CAN USE CARD/PHONE BLUETOOTH CONTROLLED NEAR BY

WISAPARTMENT APP SMART LOCK SOLUTION



PRODUCT PARAMETERS



Guest Card/Handset Installation



Card Unlock



Password Unlock



App Unlock



Remote Unlock



Offline Password



Secondary Administrator



Transfer Door Lock



Open Records



Battery Display

APPLICATION



HOME



OFFICE




HOTEL



APARTMENT

WISAPARTMENT MANAGEMENT SOFTWARE SOLUTION

PRODUCT PARAMETERS




APPLICATION



HOME



OFFICE



HOTEL




APARTMENT

518RF SIMPLE MODERN HOTEL LOCK



PRODUCT PARAMETERS

■ SIZE (MM)



518 - RF



PRODUCT PARAMETERS

MODEL: 518-RF
SIZE: 30075MM
MATERIAL: ZINC ALLOY
OPTIONAL COLORS: SILVER, GOLD, GUN GRAY
DEFAULT LOCK BODY: 2285 LOCK BODY


PARAMETER			
UNLOCK METHOD	Proximity card, Key	INDUCTION TIME	<1S / Less than 1 second
CARD FREQUENCY	125KHZ (T5557) / 125 KHz (D801-57)	BATTERY	4 pcs AA Alkaline Batteries
LOW-VOLTAGE ALARM:	<4.8V / Support (Less than 4.8 V)	QUIESCENT CURRENT	<20μA / Less than 20μA
AMBIENT TEMPERATURE	-20℃ ~ 60℃	CARD TYPE	Temic T557 / Mifare 1Temic (D80157) / Mifare 1 (D801M1)
CARD CAPACITY	~255 Pcs	CARD DISTANCE	<3CM / Less than 3 CM
CARD FREQUENCY	13.56MHZ (M1) / 13.56 Mhz (D801-M1)	WORKING VOLTAGE	6V
DYNAMIC CURRENT	<120mA / 120 mA	APPLICABLE DOOR	38-70 MM (Can Customized)

E8RF SIMPLE MODERN HOTEL LOCK



PRODUCT PARAMETERS

■ SIZE (MM)



INDOOR OUTDOOR

E8 - RF



MODEL: E8-RF
SIZE: 270*73MM
MATERIAL: 304 STAINLESS STEEL
OPTIONAL COLORS: BLACK, SILVER, GOLD
DEFAULT LOCK BODY: 2#DS LOCK BODY

PARAMETER


UNLOCK METHOD	Proximity card, Key	INDUCTION TIME	<1S / Less than 1 second
CARD FREQUENCY	125KHZ (T5557) / 125 KHz (D801-57)	BATTERY	4 pcs AA Alkaline Batteries
LOW-VOLTAGE ALARM:	<4.8V / Support (Less than 4.8 V)	QUIESCENT CURRENT	<20μA / Less than 20μA
AMBIENT TEMPERATURE	-20°C ~ 60°C	CARD TYPE	Temic T557 / Mifare 1Temic (D80157) / Mifare 1 (D801M1)
CARD CAPACITY	~255 Pcs	CARD DISTANCE	<3CM / Less than 3 CM
CARD FREQUENCY	13.56MHZ (M1) / 13.56 Mhz (D801-M1)	WORKING VOLTAGE	6V
DYNAMIC CURRENT	<120mA / 120 mA	APPLICABLE DOOR	38-70 MM (Can Customized)

D12-E-ANTI-THEFT DOOR LOCK



PRODUCT PARAMETERS

■ SIZE (MM)



D12-E



MODEL: D12-E
SIZE: 350*75MM
MATERIAL: 304 STAINLESS STEEL
OPTIONAL COLORS: SILVER, GOLD, BLACK, RED BRONZE
DEFAULT LOCK BODY: STANDARD / CYLINDER / OVERLOAD LOCK BODY



Fingerprint unlock



Password unlock



Key unlock



Card unlock



App Management

PARAMETER


MODEL:	D12-E	CARD TYPE:	Mifare 1
PRODUCT SIZE:	350*75MM	DOOR TYPE:	Wooden Door / Security Door
MATERIAL:	304 Stainless Steel	LOCK BODY:	Standard lock body 240*24MM
TECHNOLOGY:	Stainless Steel Wire Drawing	FUNCTION:	Full voice / Supports Chinese-English Switching
UNLOCK METHODS:	Fingerprint / Code / Card / Key	NETWORK:	WiFi / Bluetooth
FINGERPRINT ACQUISITION:	FPC Semiconductor	POWER SUPPLY MODE:	4 pcs AA Alkaline Batteries
PASSWORD LENGTH:	6-12 digits		

D12-E-ANTI-THEFT DOOR LOCK



PRODUCT PARAMETERS

■ SIZE (MM)



INDOOR OUTDOOR

2058-RF



MODEL: 2058-RF / 2058-CM / 2058-ZM
MATERIAL: 304 STAINLESS STEEL
OPTIONAL COLORS: SILVER, GOLD, RED BRONZE, BLACK
DEFAULT LOCK BODY: WOODEN DOOR LOCK BODY

PARAMETER

UNLOCK METHOD	Proximity card, Key	INDUCTION TIME	<1S / Less than 1 second
CARD FREQUENCY	125KHZ (T5557) / 125 KHz (D801-57)	BATTERY	4 pcs AA Alkaline Batteries
LOW-VOLTAGE ALARM:	<4.8V / Support (Less than 4.8 V)	QUIESCENT CURRENT	<20μA / Less than 20μA
AMBIENT TEMPERATURE	-20°C ~ 60°C	CARD TYPE	Temic T557 / Mifare 1Temic (D80157) / Mifare 1 (D801M1)
CARD CAPACITY	~255 Pcs	CARD DISTANCE	<3CM / Less than 3 CM
CARD FREQUENCY	13.56MHZ (M1) / 13.56 Mhz (D801-M1)	WORKING VOLTAGE	6V
DYNAMIC CURRENT	<120mA / 120 mA	APPLICABLE DOOR	38-70 MM (Can Customized)

Thank you!



UNITED
HOTEL SUPPLY

 www.unitedhotelsupply.com

 +1 352 644 9600