



GUEST ROOM
APPLIANCES

Supplying **quality, comfort, and style** to hotels
and motels across America.

CATALOG 2026

www.unitedhotelsupply.com | +1 352 644 9600

Welcome to UNITED HOTEL SUPPLY

At United Hotel Supply, we believe every guest experience begins with the right environment. From elegant lighting that sets the mood to durable flooring, comfortable furnishings, and smart in-room appliances — **we bring you everything** you need to create spaces that impress.


For over a decade, we've been the trusted partner of hotels, motels, and hospitality businesses across the nation, delivering **premium quality, reliable service, and competitive pricing.**



HAIR DRYER

High Speed Hair Dryer DF21

- High-speed motor with 110,000r/min
- 23m/s large wind speed
- 200,000,000 negative ions
- 59dB acoustic noise reduction
- Hot, warm and cold air circulating
- 2 wind speed options, 4 temperature controlled options
- Motor protection/Overheat protection/Constant temperature detection/
Wind blocking protection
- Color: Gray/White
- Certificates: CE CB RoHS




Rated Power	Voltage	Rated Frequency
1600W	220-240V~/120V~	50Hz/ 60 Hz
Power Cable	G.W.	Master Carton Size
1.8M	1.25KG/PC	W530xD333xH351MM



High Speed Hair Dryer GF-10

- 110,000r/min high-speed brushless motor
- Three-level safety protection
- Strong airflow for fast drying
- 200 million negative ions
- Intelligent temperature control system
- 2 wind speed options, 4 temperature controlled options
- Hot & Cool air switch
- Multiple combination noise reduction
- Color: Gray/White
- Certificates: CE UL FC RoHS




Rated Power	Voltage	Rated Frequency
1600W	220-240V~	50Hz/ 60 Hz
Power Cable	G.W.	Master Carton Size
1.8M	0.77KG/PC	W605xD256xH346MM



Hair Dryer C189

- 3 temperature controlled options
- 2 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC Motor
- Color: Black/White
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.4M	0.69KG/PC	W515xD395xH510MM

Foldable Hair Dryer C201

- 3 temperature controlled options
- 2 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC motor
- Foldable handle for convenient storage
- Color: Black/White
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Dimensions	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.4M	0.6KG/PC	W165xD80xH255MM(Open) W210xD80xH130MM(Folded)	W515xD395xH510MM

Foldable Hair Dryer HD-8010

- 2 temperature controlled options
- 2 wind speed options
- Cool shot function
- Overheating protection
- Powerful DC motor
- Foldable handle for convenient storage
- Color: Black/White
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1800-2200W	220-240V~	50Hz/60Hz	0.7KG/PC	W235xD75xH270MM	W555xD440xH320MM

Foldable Hair Dryer FL-1302

- Super wind power, fast drying
- Multi-gear adjustment
- Double-layer air inlet net
- Overheating protection
- 3 wind speed options, 3 temperature controlled options
- Color: Black/White
- Certificates: CE



Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1600W	220-240V~	50Hz/60Hz	0.6KG/PC	W165xD73.5xH230MM	W540xD440xH440MM

Wall-Mounted Hair Dryer D158/RCY-67600B

- Small body with super power
- Micro safety switch
- 2 wind speed options, 2/3 temperature controlled options
- Built-in famous brand high-quality thermostat
- Overheating protection
- Automatic power-off
- Thermal-resistant and flame-retardant device.
- Color: Black/White
- Certificates: CE CB RoHS



D158



RCY-67600B

Wall-Mounted Hair Dryer RCY-67588B

- With shaver sockets: dual voltage(110V~/220V~)
- Famous brand DC motor with high torque and high speed
- Overheating protection
- 2 wind speed options and 2/3 temperature controlled options
- Micro safety switch
- Color: Black/White
- Certificates: CE CB RoHS



RCY-67588B

Model	D158	RCY-67600B	RCY-67588B
Rated Power	1600W/1800W	1600W/1800W	1600W/1800W
Voltage	110-127V~/220-240V~	110-127V~/220-240V~	110-127V~/220-240V~
Rated Frequency	50Hz/60HZ	50Hz/60Hz	50Hz/60Hz
Dimensions	W345xD150xH265MM	W170xD100xH240MM	W225xD145xH250MM
G.W	1.0KG/PC	1.0KG/PC	1.42KG/PC
Master Carton Size	W515xD395xH360MM	W475xD385xH320MM	W555xD365xH445MM

Hair Dryer HD-920F


- Retractable cord
- Cool shot function
- DC motor with high torque and high speed
- 2 wind speed options, 3 temperature controlled options
- With anion care
- Removable end cap
- Overheating protection
- Color: Gray/White
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1800-2200W	220-240V~	50Hz/60Hz	0.6KG/PC	W214xD94xH260MM	W585xD285xH585MM

Hair Dryer C309

- 3 temperature controlled options
- 2 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC motor
- Color: Black/White
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.4M	0.75KG/PC	W515xD395xH510MM

Wall-Mounted Hair Dryer FL-1017

- 3 temperature controlled options
- 3 wind speed options
- Micro safety switch
- Overheating protection
- Powerful DC motor
- Color: Black/White/Gray
- Certificates: CE



Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1600W	220-240V~	50Hz/60Hz	0.6KG/PC	W135xD73.5xH230MM	W445xD295xH495MM

Wall-Mounted Hair Dryer FL-2206

- 2 wind speed options, 2 temperature controlled options
- Micro safety switch
- Overheating protection
- ABS engineering plastics
- Bolded spring line
- Color: Black/White
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	G.W.	Dimensions	Master Carton Size
1800W	220-240V~	50Hz/60Hz	1.13KG/PC	W180xD92xH195MM	W570xD380xH510MM

Handheld Hair Dryer

- Powerful 1875W motor
- 2 heat settings
- 3 speed settings
- Non-foldable design
- Ergonomic handheld operation
- Suitable for hotels, motels, salons, and guest bathrooms
- Color: Black
- 2+1-Year Extended Warranty

Rated Power	Voltage	Rated Frequency	Heat Settings	Speed Settings	Warranty
1875W	120V~	60Hz	2	3	2+1 Years



Wall-Mounted Hair Dryer

- Powerful 1600W motor
- 2 speed settings & 3 heat settings
- Flexible spiral cord
- Night light for low-light use
- Ultra-quiet operation
- Long-life motor with strong airflow for quick drying
- Overheating circuit protection
- Wall-mounted, anti-theft construction
- Color: White/Black

Rated Power	Heat Settings	Speed Settings	Installation	Warranty
1600Wt	3	2	Wall-Mounted	2+1 Years





ELECTRIC KETTLE

0.6L Digital Electric Kettle EKS06618XH-4S

- SUS304 stainless steel and spray paint craftsmanship
- Digital control panel with touch function
- Keep warm and boil up function
- Intelligent constant temperature
- Multi-level temperature adjustment
- Gooseneck spout
- Auto power off, boil-dry protection
- Certificates: CE CB RoHS

Specification

- 800-1000W (220-240V~,50Hz/60Hz)
- Power Cable: 0.75M
- Gross weight: 2.37KG/PC
- Dimensions: W289.9xD170xH194MM
- Master Carton Size: W551xD385xH470MM



0.7L Electric Kettle EKS07228E-3

- Fashionable appearance and color
- Separate but stable base, which will not make it shake when boiling water
- Food grade SUS304 stainless steel and spray paint craftsmanship
- Auto power off, boil-dry protection
- Color: Black/White
- Certificates: CE CB RoHS 

Specification

- 1000-1200W (220-240V~,50Hz/60Hz)
- Power Cable: 0.75M
- Gross weight: 1.26KG/PC
- Dimensions: W213.7xD155xH250.3MM
- Master Carton Size: W415xD385xH506MM



0.8L Electric Kettle LL-08P01

- Spring Cover
- Double-layer design
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner
- Ergonomic handle
- Water-gathering ring design of upper cover for anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 stainless steel for pot bladder and inner steel cover
- Blue LED indicator
- Color: Black/White
- Certificates: CE CB RoHS

Specification

- 1000-1200W (220-240V~,50Hz/60Hz)
- Power Cable: 0.8M
- Gross weight: 1.14KG/PC
- Dimensions: W202xD136.7xH201.1MM
- Master Carton Size: W585xD395xH410MM



0.8L Electric Kettle LL-8860

- Spring Cover
- Double-layer design
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner
- Ergonomic handle
- Water-gathering ring design of upper cover for anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 stainless steel for pot bladder and inner steel cover
- Color: Black/White
- Certificates: CE CB RoHS

Specification

- 1000-1200W (220-240V~,50Hz/60Hz)
- Power Cable: 0.8M
- Gross weight: 1.14KG/PC
- Dimensions: W202.2xD136.7xH201.1MM
- Master Carton Size: W585xD395xH410MM



1.0L Electric Kettle LL-8865

- Double-layer pot body
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner
- Water-gathering ring design of upper cover for anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 inner pot and stainless steel cover
- Color: Black/Stainless steel color
- Certificates: CE CB RoHS



LL-8865

1.0L Electric Kettle LL-8877

- Colored steel and PP outside
- Double-layer design
- Integrated kettle with lid, uneasy to fall or lose
- Integrated seamless liner, automatic power-off
- Water-gathering ring design of upper cover for ati-scalding
- SUS304 stainless steel for pot bladder and inner steel cover
- Color: Black/White
- Certificates: CE CB RoHS

Model	LL-8865	LL-887
Rated Power	1000-1200W	1350W
Voltage	220- 240V~/110V~	220-240V~/110V~
Rated Frequency	50Hz/60HZ	50Hz/60Hz
Power Cable	0.8M	0.8M
Dimensions	W204xD137xH221MM	W197.5xD148xH205MM
G.W.	1.26KG/PC	1.18KG/PC
Master Carton Size	W510xD425xH540MM	W760xD385xH420MM



LL-8877

1.0L Electric Kettle LL-8516

- Integrated kettle with lid, uneasy to fall or lose
- Water-gathering ring design of upper cover of anti-scalding
- Auto power off, boil-dry protection
- Visible heating indicator
- SUS304 inner pot and stainless steel cover
- Color: Stainless steel color
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	Power Cable	Dimensions	G.W.
1000-1200W	220-240V~/110V~	50Hz/60Hz	0.8M	W180xD138xH203MM	0.98KG/PC

1.0L Electric Kettle LL-8710D

- Double-layer pot body
- 304 food grade stainless steel seamless liner
- Water level window
- Automatic/manual switch off
- Separate base and 360°cordless operation allow removal and replacement from any angle
- Color: Black/White
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	Power Cable	Dimensions	G.W.
1800-2200W	220-240V~	50Hz/60Hz	0.7M	W206xD143xH198MM	0.95KG/PC



COFFEE MAKER

Coffee Maker ST-503A

- Capsule bin with max accommodation of 10 used capsules
- NTC temperature control
- 19 Bar high pressure pump
- Patented brewing group & design
- Compatible capsules; Nespresso Compatible Capsules, Rios Cafe, Nestlé.
- Starbucks, ILLY, LAVAZZA, LOR
- Color: Black/Red
- Certificates: CE CB RoHS FDA

Specification

- 1260W (220-240V~,50Hz/60Hz)
- Power Cable: 1.15M
- Gross weight: 3.8KG/PC
- Dimensions: W350xD100xH260MM
- Master Carton Size: W438xD311xH318MM



Coffee Maker CM-C08A

- Capsule auto ejection system
- Capsule bin with max accommodation of 7 used capsules
- Transparent removable water tank
- Manually or auto stop
- Detachable drip tray for easy cleaning
- Optional three cup sizes
- Compatible capsules: Nespresso Compatible Capsules, Rios Cafe, Nestlé, Starbucks, ILLY, LAVAZZA, LOR
- Color: Black/White/Red
- Certificates: CE CB GS

Specification

- 1450W (220-240V~,50Hz/60Hz)
- Dimensions: W358xD87xH220MM



Coffee Maker AC-514K/AC-513K

- Nespresso capsule system
- Prebrewing function
- Patented brewing group & design
- Detached drip tray for easy cleaning, removable water tank
- Transparent removable water tank
- Detached drip tray for easy cleaning, removable water tank
- Compatible capsules: Nespresso Compatible Capsules, Dolce Gusto Capsules
Coffee powder, Coffee pod, Lavazza A Modo Mio, Lavazza Blue, Caffitaly
- Certificates: CE CB RoHS FDA



Small Nespresso
capsule brewing cup



Large Dolce Gusto
capsule brewing cup



Espresso coffee
powder brewing cup

Model	AC-514K	AC-513K
Rated Power	1450W/1250W~	1450W
Voltage	220- 240V~/110V~	220-240V~/120V~
Rated Frequency	50Hz/60HZ	50Hz/60Hz
Water Capacity	600ML	800ML
Power Cable	0.9M	0.8M
Dimensions	W280xD115xH250MM	W312xD170xH295MM
G.W.	3.48KG/PC	4.03KG/PC
Color	Black/Red	Silver
Master Carton Size	W595xD330xH295MM	W700xD370xH320MM



AC-514K



AC-513K

K Cup Coffee Maker AC-505K

- Single-cup brewing system for use with K-Cups and ground coffee
- Auto shut off/energy saving
- Retractable pin & residual pressure release to eliminate safety concern
- Stop brewing anytime
- Patented heater for instant brew, benefit to make next brew immediately
- One-touch control panel with illumination
- Removable drip tray
- 45 oz removable clear water reservoir, BPA free
- Fit with refillable holster
- Fit with most standard travel mug
- Color: Black/Red/Silver/Grey
- Certificates: CE CB RoHS FDA



Rated Power	Voltage	Rated Frequency	Water Capacity	G.W.	Master Carton Size
1420W	220-240V~/120V~	50Hz/60Hz	450Z	5.0KG/PC	W535xD520xH285MM

K Cup Coffee Maker AC-507K

- Single cup brewing system for use with K-cups
- One-touch control button with illumination
- Detachable lid
- Integrated reservoir, easier access to clean
- Auto shut off after brew
- Retractable probe for safety
- Color: Black
- Certificates: CE CB RoHS FDA



Rated Power	Voltage	Rated Frequency	Water Capacity	G.W.	Master Carton Size
800W	120V~	60Hz	100Z	3.8KG/PC	W477xD410xH370MM

1 Cup Coffee Maker

- One-cup brewing system
- Two-way brew: Ground Coffee or Soft Coffee Pod
- One-touch operation with light indicator
- Reusable mesh filter
- USB charging
- Black / Stainless Steel
- Plastic / Stainless Steel construction
- 2-year replacement warranty



Rated Power	Voltage	Rated Frequency	Coffee Capacity	Filter	Warranty
700W	120V~	60Hz	1 Cup	Reusable Mesh	2 Years Replacement

K Cup Coffee Maker

- 2-in-1 brewing system for Ground Coffee and K-CUP Capsules
- Reusable mesh filter
- Push-button switch control with light indicator
- 420ml / 14oz water capacity
- Stainless steel drip tray
- Brewing time: 3 minutes
- Coffee temperature: 76°C
- Allow 3 minutes cooldown before brewing a second cup
- 2 Years Replacement Warranty




Rated Power	Voltage	Rated Frequency	Water Capacity	Coffee Temp	Brewing Time
800W	120V~	60Hz	420ml / 14oz	76°C	3 Minutes



STEAMER

Handheld Garment Steamer GT001

- Warming up quickly in 30s is almost no need to wait
- Usage includes both flat and hanging ironing
- Aluminum alloy ironing panel
- 180°C steam temperature
- Super large amount of steam
- Automatically power off when no operation for 10 minutes
- Automatic cleaning function
- Overheating protection
- Color: Black/Red
- Certificates: CE



Rated Power	Voltage	Rated Frequency	Water Capacity	Power Cable	G.W.	Master Carton Size
1100-1300W/1200W	220-240V~/120V~	50Hz/60Hz	150ML	2.0M	1.45KG/PC	W615xD490xH387MM

Handheld Garment Steamer MW-830

- Dry ironing & steam ironing
- Continue steam & burst steam
- 2 levels of steam
- ABS+PC material, ceramic panel
- Less than 30s quick warm-up
- 150°C steam temperature
- Overheating protection
- Color: Gray/White
- Certificates: CE CB RoHS  

Specification

- 1200-1400W (220-240V~,50Hz/60Hz)
- Water Capacity: 180ML
- Gross weight: 1.38KG/PC
- Dimensions: W277xDW102.5xH96MM/W269xD88xH84MM
- Master Carton Size: W580xD335xH390MM



Handheld Garment Steamer T21AE

- 25S fast preheating, more efficient wrinkle removal
- 20g/min super large steam volume, ironing without getting clothes wet
- Chestnut-shaped panel, double steam flow channel, deep wrinkle removal
- Pointed design, detailed ironing
- Visual water window
- Folding design, saving storage space
- Silent water pump, continuous and stable steam output
- Triple protection: standby protection, anti-dry burning protection, high temperature protection
- Color: Black/Red
- Certificates: CE CB

Rated Power	Voltage	Rated Frequency	Water Capacity	Power Cable	G.W.	Dimensions	Master Carton Size
1200W	220-240V~	50Hz/60Hz	100ML	1.7M	0.95KG/PC	W178xD82xH252MM	W396xD304xH278MM





ELECTRIC IRON

Electric Iron SW-605

- Smart steam motion sensor auto cut-off
- Ceramic soleplate
- Adjustable thermostat control
- Variable steam control
- Overheating safety protection
- LED ready indicator
- 3 way automatic shut-off
- Anti-calcium systems
- Color: Black
- Certificates: CE CB RoHS



Rated Power	Voltage	Rated Frequency	Water Capacity	Power Cable	G.W.	Master Carton Size
2000W/1200W	220-240V~/120V~	50Hz/60Hz	320ML	1.8M	1.34KG/PC	W690xD332xH345MM

Dry Iron DSW-8

- Non-sticking soleplate
- Dry ironing function
- Adjustable thermostat control
- Flexible 360 degree swivel cord guard
- Overheat safety protection
- Indicate light
- Auto-shut off function
- Color: Black
- Certificates: CE



Rated Power	Voltage	Rated Frequency	Power Cable	G.W.	Dimensions	Master Carton Size
1000W	220-240V~	50Hz/60Hz	1.9M	0.9KG/PC	W256xD103xH125MM	W600xD280xH290MM

Roomwell Steam X Iron

- 1700W powerful performance
- Stainless steel soleplate
- 400 steam holes for even steam distribution
- 300ml water tank
- Vertical / Continuous / Burst Steam
- Continuous Steam: 30 ± 5g/min
- Burst Steam: 0.8–1.2g
- Auto shut-off, anti-calc, anti-drip, and self-cleaning
- 2.43m retractable power cord
- Temperature indicator
- Eco technology
- Color: Black
- ETL Certified



Rated Power	Voltage	Rated Frequency	Tank Capacity	Steam Output	Dimensions
1700W	120V~	60Hz	300ml	30 ± 5g/min	32.6 × 12.2 × 15.2 cm

Retractable Cord Iron

- Powerful 1700W performance
- Stainless steel soleplate with 400 steam holes
- 300ml water tank
- Vertical / Continuous / Burst Steam
- Continuous Steam: 30 ± 5g/min
- Burst Steam: 0.8–1.2g
- 2.43m retractable power cord
- Anti-calc and anti-drip functions
- Auto shut-off
- Self-cleaning function
- Temperature indicator
- Eco technology
- Color: Black
- ETL Certified



Rated Power	Voltage	Rated Frequency	Tank Capacity	Steam Output	Dimensions
1700W	120V~	60Hz	300ml	30 ± 5g/min	32.6 × 12.2 × 15.2 cm

Iron Board 1338

- Various height adjustment up to 78cm
- Mesh ironing top W12xL36 inch [30.5x91.5cm]
- Strong structure legs design
- Stylish iron rest
- Flameproof fabric plus 10mm thickened cotton cushion
- Color: Gray

Dimensions	G.W.	Package Standard	Master Carton Size
W305xD61xH1230MM (Folded) W1100xD305xH780MM (Open)	3.8KG/PC	4PCS/CTN	W1250xD250x H340MM



Iron Board RY 1343TC-28-32

- Various height adjustment up to 85cm
- Mesh ironing top W13xL42.9 inch [33x109cm]
- Anti-theft
- Stylish iron rest
- Flameproof fabric plus 10mm thickened cotton cushion
- Color: Gray

Dimensions	G.W.	Package Standard	Master Carton Size
W330xD65xH1230MM (Folded) W1090xD330xH850MM (Open)	6-8KG/PC	4PCS/CTN	W1260xD290x H350MM



Iron Board 1343H24-19

- Various height adjustment up to 88cm
- Popular for hotel use
- Mesh ironing top W13xL42.6 inch [33x109cm]
- Stylish iron rest
- Flameproof fabric plus 10mm thickened cotton cushion
- Color: Gray



Dimensions	G.W.	Package Standard	Master Carton Size
W340xD55xH1220MM (Folded) W1090xD330xH880MM (Open)	4.0KG/PC	4PCS/CTN	W1230xD230x H350MM

Iron Board TCL-D

- Suitable for different size iron
- ABS moulded with two silicone strips resistant to high temperature
- Color: Black/White



Dimensions	G.W.	Package Standard	Master Carton Size
W330xD140xH1110MM (Folded)	0.44/KG/PC	20PCS/CTN	W845xD343x H306MM

Iron Board TCL-E

- Plastic iron holder with hook
- Smart design to hold different type of legs
- Color: Black/White



Dimensions	G.W.	Package Standard	Master Carton Size
W150xD110xH360MM (Folded)	0.5KG/PC	12PCS/CTN	W490xD480x H320MM

54" Basic Foldable Ironing Board

- 54" full-size surface for comfortable and efficient ironing
- Thick padded top provides a smooth, even ironing surface
- Anti-flame fabric cover for added safety during use
- Foldable legs allow easy storage and convenient portability
- Secure leg lock keeps the ironing board stable during use
- Ideal for hotel rooms and guest accommodations

Surface Size	Design	Top	Cover
54"	Basic	Thick Padded	Anti-Flame Fabric



Roomwell Steam X Iron

- 1700W powerful performance
- Stainless steel soleplate
- 400 steam holes for even steam distribution
- 300ml water tank
- Vertical / Continuous / Burst Steam
- Continuous Steam: 30 ± 5g/min
- Burst Steam: 0.8–1.2g
- Auto shut-off, anti-calc, anti-drip, and self-cleaning
- 2.43m retractable power cord
- Temperature indicator
- Eco technology
- Color: Black
- ETL Certified



Rated Power	Voltage	Rated Frequency	Tank Capacity	Steam Output	Dimensions
1700W	120V~	60Hz	300ml	30 ± 5g/min	32.6 × 12.2 × 15.2 cm

Retractable Cord Iron

- Powerful 1700W performance
- Stainless steel soleplate with 400 steam holes
- 300ml water tank
- Vertical / Continuous / Burst Steam
- Continuous Steam: 30 ± 5g/min
- Burst Steam: 0.8–1.2g
- 2.43m retractable power cord
- Anti-calc and anti-drip functions
- Auto shut-off
- Self-cleaning function
- Temperature indicator
- Eco technology
- Color: Black
- ETL Certified



Rated Power	Voltage	Rated Frequency	Tank Capacity	Steam Output	Dimensions
1700W	120V~	60Hz	300ml	30 ± 5g/min	32.6 × 12.2 × 15.2 cm

Classic Wall-Mounted Iron Holder

- Heat-resistant design for safe iron storage
- Wall-mounted construction saves valuable space
- Compact design keeps ironing essentials organized
- Built-in cord organizer prevents tangled cords
- Two strong metal hooks hold ironing boards securely
- Compatible with T-leg ironing boards
- Plastic body offers lightweight, durable storage
- Easy wall installation with hardware included
- Keeps the iron safely off countertops and floors
- Ideal for hotels, laundry rooms, and small spaces
- Helps maintain a neat and clutter-free area
- Suitable for convenient everyday iron and board storage


Color	Material	Dimensions	Warranty
Black	Plastic with Two Metal Hooks	15.75" H × 5.45" W × 4.70" D	2 Years





Weight Scale CW269

- Full ABS covered base
- ABS+ tempered glass
- Invisible LED display
- 4 high sensitive sensors
- Intelligent automatic switch ON/OFF
- Integrated weighting surface
- Overload/Low battery prompt
- Color: Black/White
- Certificates: CE RoHS FDA QDL



Material	Battery	Weighted Range	G.W.	Dimensions	Master Carton Size
ABS+ tempered glass	4x1.5V AAA	5KG-180KG	1.97KG/PC	W300xD24xH300MM	W445xD400xH360MM

Weight Scale CB2267E-Y


- Full ABS covered base
- Invisible LED display
- 4 high sensitive sensors
- Intelligent automatic switch ON/OFF
- Integrated weighting surface
- Four-point force
- Auto power on/off
- Overload/Low battery prompt
- Color: Black/White
- Certificates: CE



Material	Battery	Weighted Range	G.W.	Master Carton Size
ABS+ tempered glass	4x1.5V AAA	3KG-180KG	1.97KG/PC	W430xD342xH336MM

Weight Scale CW279

- Integral body to open and close without screw exposed for being durable and long service life
- 16.2mm thin scale body with lower center of gravity and being more stable when weighing
- Clear LCD digital display with soft white backlight, making it still clear under the low light and dark environment
- High precision sensor system with precision being 0.05kg
- Auto power off/on, overload, low battery prompt
- Color: Wood color
- Certificates: CE



Material	Battery	Weighted Range	G.W.	Master Carton Size
ABS+ fireproof glass	2x3V CR2032	3KG-150KG	1.38KG/PC	W310xD258xH315MM

Spontaneous Electric Weight Scale CW300

- No battery, patented self-generating electronic scale
- ABS+ architectural grade tempered glass
- High-definition LCD display
- Auto power off/on
- Overload/Low battery prompt
- Humanized design large rounded corners
- Color: Gray/White
- Certificates: CE RoHS FCC



Material	Battery	Weighted Range	G.W.	Dimensions	Master Carton Size
ABS+ tempered glass	No battery	3KG-180KG	1.9KG/PC	W302xD25xH302MM	W330xD330xH250MM



ALARM CLOCK

Alarm Clock H7

- Bluetooth version 5.0
- Wireless Qi mobile phone charging or charging with the front USB+Type C
- Loudspeaker
- Multi-function with Bluetooth, alarm clock, radio, showing week, TF, disk, AUX
- Qi wireless charging and playing music features
- LED digital display
- Color: Black/White

AC Input	DC Output	Rated Frequency	G.W.	Dimensions	Master Carton Size
100-240V~	9V/2A transformer	50Hz/60Hz	0.5KG/PC	W150xD90xH75MM	W430xD330xH415MM



Alarm Clock K5

- Bluetooth version 5.0
- Work as a loudspeaker
- Multi-function with Bluetooth, alarm clock, radio, showing time, week, temperature
- Mobile phone charging
- Two USB in the front and one Type C interface for devices charging
- LCD digital display
- NAP and snooze function
- Color: Black/White

AC Input	DC Output	Rated Frequency	G.W.	Dimensions	Master Carton Size
100-240V~	5V/2A transformer	50Hz/60Hz	0.35KG/PC	W127xD50xH78MM	W425xD344xH422MM



Wake X - All in One Alarm Clock

- Dual alarm with 7-day On/Off indicator
- FM radio: 87.50–108 MHz
- USB charging for mobile devices
- 3-inch digital display
- Adjustable brightness dimmer
- Programmable sleep timer
- Indoor temperature display
- High-quality speaker with volume levels 0–15

DC Output	Rated Frequency	Dimensions
USB Charging	87.50–108 MHz	W4.4×H5.5 IN





Wall-mounted torch light NE2020-B

- Brighter light source Escape is brighter: 1w high-brightness
- LED lightsource, continuous lighting for more than 10 hours, in line with fireprotection standards
- Environment protection and energy saving charging indication: charging(red light)/fully charged(green light)
- Six-series aviation aluminum body with high temperature resistance and anti-theft design
- Dimensions: W150xD37xH40MM
- G.W.:0.16KG/PC
- Color: Black
- Certificates: CE



Wall-mounted torch light NE2023-B

- 3W higher brightness LED light source
- Continuous lighting for more than 8 hours, in line with fire protection standards
- Fluorescent warning label
- Fire emergency, pick up and light up
- Six-series aviation aluminum body with high temperature resistance and anti-theft design
- Dimensions: W42xD42xH160MM
- G.W.:0.18KG/PC
- Color: Black
- Certificates: CE



Wall-mounted torch light NE2024-B

- 3W higher brightness LED light source
- Continuous lighting for more than 8 hours, in line with fire protection standards
- Fluorescent warning label
- Fire emergency, pick up and light up
- Six-series-aviation aluminum body with high temperature resistance and anti-theft design
- Dimensions: W43xD43xH160MM
- G.W.:0.15KG/PC
- Color: Black
- Certificates: CE






COSMETIC MIRRORS

Wall Mounted LED Mirror 214-2

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Switch: mirror touch switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 20ps/ctn
- Master carton size: W800xD390xH655MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 261-2

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Switch: mirror touch switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 10ps/ctn
- Master carton size: W715xD295xH590MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 260

- Size: 202x202MM
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Switch: boat switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 10ps/ctn
- Master carton size: W400xD390xH645MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 262-1

- Size: 202x202MM
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 10ps/ctn
- Master carton size: W715xD295xH590MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 995

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Switch: mirror touch switch
- Connect: plug, hard wires in side wall
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 20ps/ctn
- Master carton size: W800xD390xH655MM


● Chrome ● Black ● Zirconium gold



Wall Mounted Cosmetic Mirror 251

- Size: 6 inches, 8 inches
- Mirror: 3x, 5x
- QTY: 20ps/ctn
- Master carton size: W590xD350xH700MM


● Chrome ● Black ● Zirconium gold



Wall Mounted LED Mirror 289

- Size: 8 inches
- Mirror: 3x
- QTY: 10ps/ctn
- Master carton size: W715xD295xH590MM


● Chrome ● Black ● Zirconium gold



Desktop LED Mirror 505

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W/110, 5V~
- Light color: White, warm white, yellow
- Connect: Rechargeable battery
- Power supplied: Single touch three color dimming, long press stepless dimming
- QTY: 20ps/ctn
- Master carton size: W790xD400xH560MM


● Chrome ● Black ● Zirconium gold



Desktop LED Mirror 501

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Connect: plug
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 8ps/ctn
- Master carton size: W745xD440xH645MM


● Chrome ● Black ● Zirconium gold



Desktop LED Mirror 266

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Connect: plug
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 8ps/ctn
- Master carton size: W745xD440xH645MM


● Chrome ● Black ● Zirconium gold



Desktop Cosmetic Mirror 226

- Size: 8 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- Led light: 5W,110-260V~
- Light color: White, warm white, yellow
- Connect: plug
- Power supplied: AC 110-260V~ used; rechargeable battery
- Plug: EU, BS, US, AU, BRA, SA, IT Plugs ect
- QTY: 8ps/ctn
- Master carton size: W745xD440xH645MM


● Chrome ● Black ● Zirconium gold



Desktop Cosmetic Mirror 235

- Size: 6 inches
- Mirror: 3x, 5x
- Material: Brass+Zinc+Stainless Steel
- QTY: 20ps/ctn
- Master carton size: W810xD400xH560MM

● Chrome ● Black ● Zirconium gold





MINIBAR

Absorption Minibar

- No compressor, no noise
- Model: M-50A
- Certificates: CE CB RoHS

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
45L	65W	220-240V~/110-120V~	50Hz/60Hz	15.5/17KG	W490xD490xH425MM



Model	M-25A
Volume	25L
Related Power	65W
Voltage	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz
Dimensions	W400xD370xH470MM
N.W./G.W.	14/15KG
Color	Black



Model	M-30A
Volume	30L
Related Power	65W
Voltage	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz
Dimensions	W400xD420xH490MM
N.W./G.W.	14.5/15.5KG
Color	Black



Model	M-40A
Volume	40L
Related Power	65W
Voltage	220-240V~/110-120V~
Rated Frequency	50Hz/60Hz
Dimensions	W400xD440xH550MM
N.W./G.W.	17/18.5KG
Color	Black

Model M-25T

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
25L	65W	220-240V~/110-120V~	50Hz/60Hz	15.5/16.5KG	W400xD360xH473MM



Model M-30T

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
30L	65W	220-240V~/110-120V~	50Hz/60Hz	16.5/17.5KG	W400xD410xH493MM



Model M-40T

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	65W	220-240V~/110-120V~	50Hz/60Hz	18/19.5KG	W400xD425xH553MM



Model M-25B

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
25L	65W	220-240V~/110-120V~	50Hz/60Hz	15.5/16.5KG	W400xD360xH473MM



Model M-30B

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
30L	65W	220-240V~/110-120V~	50Hz/60Hz	16.5/17.5KG	W400xD410xH493MM



Model M-40B

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	65W	220-240V~/110-120V~	50Hz/60Hz	18/19.5KG	W400xD425xH553MM



Retro Minibar

- Comfortable and quality life
- Model: CB-40SAR
- Certificates: CB RoHS



● Beige



● Red



● Orange

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	58W	220-240V~/110-120V~	50Hz/60Hz	12.3/13.8KG	W400xD425xH560MM

Thermoelectric Minibar

- Comfortable and quality life
- Color: ● Black
- Certificates: CE CB



Model CB-30SAF

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
30L	55W	220-240V~/110-120V~	50Hz/60Hz	8/9KG	W385xD420xH475MM



Model SC-30SAF

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
30L	55W	220-240V~/110-120V~	50Hz/60Hz	10/11KG	W385xD405xH485MM



Model CB-40SAF

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	55W	220-240V~/110-120V~	50Hz/60Hz	9.5/10.5KG	W400xD420xH560MM



Model SC-40SAF

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	55W	220-240V~/110-120V~	50Hz/60Hz	11.5/12.5KG	W400xD410xH570MM



Thermoelectric Minibar(Heat Pipe)

- Comfortable and quality life
- Color: ● Black
- Certificates: CB RoHS



Model CB-45SA

- ErP Class: F□

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
45L	58W	220-240V~/110-120V~	50Hz/60Hz	15.5/17KG	W490xD455xH425MM



Model CB-21SA

- ErP Class: E□

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
21L	58W	220-240V~/110-120V~	50Hz/60Hz	9.4/10.6KG	W385xD455xH375MM



Model CB-20SA

- ErP Class: E

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
20L	58W	220-240V~/110-120V~	50Hz/60Hz	8.5/9.3KG	W360xD390xH430MM



Model SC-20SA

- ErP Class: D

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
20L	58W	220-240V~/110-120V~	50Hz/60Hz	10/11KG	W360xD385xH440MM



Model CB-30SA

- ErP Class: E

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
30L	58W	220-240V~/110-120V~	50Hz/60Hz	10/11.1KG	W385xD420xH475MM



Model CB-30SA

- ErP Class: E

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
30L	58W	220-240V~/110-120V~	50Hz/60Hz	11.4/12.4KG	W385xD415xH485MM



Model CB-40SA

- ErP Class: E

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	58W	220-240V~/110-120V~	50Hz/60Hz	11.8/13KG	W400xD425xH560MM



Model SC-30SA

- ErP Class: D

Volume	Rated Power	Voltage	Rated Frequency	N.W./G.W.	Dimensions
40L	58W	220-240V~/110-120V~	50Hz/60Hz	14/15.2KG	W400xD420xH570MM





Hotel Room Safes

- Password: 4 -6 digits.
- International ADA silicone blue backlight buttons available for the blind, which are wear-resistant(more than 100,000 times of service life after being tested).
- LED/LCD display, operation instructions in Chinese and English.
- External backup power interface.
- An electronic code lock system is adopted with programmable CPU.
- Three-level management setting system: administrator password (can be disabled), mechanical lock device and electronic decoder, which can check and print more than 1000 records of safes' opening and closing recently.
- High-quality, anti-scratch and wear-resistant surface treatment, and the products meet the requirements of international environmental protection organization.
- Solid all-steel lock bolt, and 13-17 inch laptops can be stored well.
- Hidden emergency key hole, being more beautiful and safer.
- Powered by 1.5V AA alkaline batteries with low battery prompt.
- Laser cutting technology on box body makes the surface flat, and brings excellent safety performance.
- High-quality cold-rolled steel plate, which is acid-resistant, anti-corrosion, sturdy and pry-proof.
- RoHS certified environmentally friendly plastic powder and degreasing treatment on the box body makes the surface smooth and the paint durable without color changed.



Model K-FG005B

Display	Dimensions	N.W.	Color
LED	W400xD350xH127MM	9KG/PC	Gray/Black



Model K-FG001

Display	Dimensions	N.W./G.W.	Color
LED	W400xD350xH145MM	10.35KG/PC	Gray/Black



Model K-FG800

Display	Dimensions	N.W./G.W.	Color
LED	W400xD350xH145MM	11.6KG/PC	Gray/Black



Model	Display	Dimensions	Power Cable	Color
DT-01	LCD	W152xD84xH34MM	720mm	Gray

Model K-JG001

Display	Dimensions	N.W./G.W.	Color
LED	W420xD380xH200MM	11.2KG/PC	Gray/Black

Model K-JG002

Display	Dimensions	N.W./G.W.	Color
LED	W420xD380xH200MM	11.5KG/PC	Gray/Black

Model K-JG003

Display	Dimensions	N.W./G.W.	Color
LED	W420xD380xH200MM	12KG/PC	Gray/Black



Model K-BE003

Display	Dimensions	N.W.	Color
LED	W420xD380xH200MM	9.9KG/PC	Gray/Black



Model K-BE800

Display	Dimensions	N.W./G.W.	Color
LED	W420xD380xH200MM	10.5KG/PC	Gray/Black



Model K-BE100

Display	Dimensions	N.W./G.W.	Color
LCD	W420xD380xH200MM	10.3KG/PC	Gray/Black



Model K-BE200

Display	Dimensions	N.W./G.W.	Color
LED	W420xD380xH200MM	10.3KG/PC	Black/White







DEPOSIT BOX

Bank/Hotel Guest Deposit Box


- The combination of advanced mechanical lock technology and traditional hardware technology provides guests with efficient, safe deposit service
- Locks: Using international UL standard of high precision double key lock, master key and guest key used at the same time to open box, the key can't be reproduced
- Material: Stainless steel The thickness of door is 10mm and is made of stainless steel (SUS304) The box uses high-quality cold-rolled steel




10 inch Module



36UK 305 - 36 Lockers
Net Weight : 183KG




30UK 405 - 30 Lockers
Net Weight : 169KG




24UK 505 - 24 Lockers
Net Weight : 160KG




18UK 310 - 18 Lockers
Net Weight : 153KG



15UK 410 - 15 Lockers
Net Weight : 134KG



12UK 510 - 12 Lockers
Net Weight : 133KG



6UK 1010 - 6 Lockers
Net Weight : 100KG

EXTERNAL DIMENSIONS		
HEIGHT	627 mm	
WIDTH	882 mm	
DEPTH	450 mm	



K-BC14



K-BC16



K-BC18



K-BC20



K-BC25

Material

- 5mm and 2mm high quality steel plate on the door and box respectively
- Inside box is made of 0.8mm steel plate with being spray processing

Model	Outside size(mm)	Big door size(mm)	Middle door size(mm)	Small door size(mm)	N.W./G.W.(kg)	Color
K-BC14	W800xD450xH930	W410xH245	W410xH150	W195xH110	110/115	Gray/Ivory
K-BC16	W880xD450xH1100	W410xH245	W266.6xH180	W195xH165	122/127	Gray/Ivory
K-BC18	W800xD450xH1270	W410xH225	W410xH150	W195xH110	155/160	Gray/Ivory
K-BC20	W880xD450xH1460	W410xH245	W410xH180	W195xH110	176/181	Gray/Ivory
K-BC25	W880xD450xH1660	W410xH272.5	W266.6xH180	W195xH110	212/217	Gray/Ivory





REFRIGIRATOR

3.3 Cu.Ft Mini Fridge

- 3.3 Cu.Ft. / 93L generous storage capacity
- 3 full-width glass shelves for organized storage
- Door shelving with tall bottle storage
- Scratch-resistant worktop and surfaces
- Space-saving flat-back design
- Mechanical thermostat with adjustable temperature control
- Automatic defrost for easy maintenance
- Quiet 42 dB operation
- Energy Star compliant
- 2-year replacement warranty

Capacity	Refrigerant	Temperature	Dimensions
3.3 Cu.Ft. / 93L	R600a	0°C–10°C	W18 × D20 × H27/33 in



2.6 Cu.Ft Mini Fridge

- 3 full-width glass shelves
- Tall bottle door storage
- Scratch-resistant worktop
- Automatic defrost
- Quiet 42 dB operation
- Energy Star compliant
- 2-year replacement warranty

Capacity	Refrigerant	Temperature	Dimensions
2.6 Cu.Ft. / 73L	R600a	0°C–10°C	W18 × D20 × H27/33 in



1.7 Cu.Ft. Mini Fridge

- 1.7 Cu.Ft. / 48L compact storage capacity
- 2 full-width glass shelves for organized storage
- Door shelving with dedicated tall bottle storage
- Space-saving flat-back design for compact areas
- Scratch-resistant worktop for added durability
- Adjustable feet for stable placement
- Mechanical thermostat for precise temperature control
- Automatic defrost for convenient maintenance
- Quiet 42 dB operation
- Energy Star compliant for efficient performance

Capacity	Refrigerant	Temperature Range	Dimensions
1.7 Cu.Ft. / 48L	R600a	2°F–50°F (0°C–10°C)	W18 × D20 × H27/33 in





700W Compact Black Microwave

- 0.7 Cu.Ft. compact capacity for convenient everyday use
- Touch pad controls with push-button operation
- 10 power levels for flexible cooking and reheating
- 6 auto-cooking menus for quick meal preparation
- One-touch cooking for added convenience
- Speed and weight defrost functions
- Child safety lock for secure operation
- Stainless steel construction with sleek black finish
- Compact design ideal for hotel rooms, motels, and resorts
- 2-year replacement warranty

Capacity	Power	Voltage / Frequency	Color	Warranty
0.7 Cu.Ft.	700W	120V / 60Hz	Black	2 Years Replacement



700W Compact Stainless Steel Microwave

- 0.7 Cu.Ft. compact capacity for convenient everyday cooking
- 700W power with 10 levels for flexible cooking and reheating
- 6 auto-cooking menus with quick cooking for easy meal preparation
- Touch pad controls with durable stainless steel construction
- Compact design ideal for hotel rooms and small kitchens
- 2-year replacement warranty for reliable everyday use

Capacity	Power	Voltage / Frequency	Material	Warranty
0.7 Cu.Ft.	700W	120V / 60Hz	Stainless Steel	2 Years Replacement





Double Liner Leather-Coated Waste Basket

- 13-liter capacity for convenient everyday waste disposal
- Durable stainless steel interior for easy cleaning
- Leather grain vinyl exterior adds a sophisticated appearance
- Fire-resistant liner provides added safety
- Anti-scuff base helps protect floors from marks
- Open-top design allows quick and easy waste disposal
- Double-liner construction for added durability and protection
- Stable base keeps the waste basket securely in place
- Easy-to-maintain interior supports hygienic use
- Compact size is ideal for hotel rooms and bedrooms
- Stylish design complements modern room interiors
- Includes a 2-year warranty plus 1-year free extended warranty

Capacity	Interior Material	Exterior Material	Warranty
13 Liter	Stainless Steel	Leather Grain Vinyl	2 Years + 1-Year Extended



TRUSTED BY LEADING HOTEL BRANDS

across the nation to deliver consistent, high-quality solutions.





15,000+ Unique
Products



Serving **500+** hotels
across the USA



Nationwide
Warehouses



Manufacturing Units
in **China, India &
Vietnam**

We understand that hospitality is about more than just a room. It's about comfort, reliability, and lasting impressions. That's why we've carefully curated a complete range of hotel essentials designed to enhance guest satisfaction and support operational efficiency.

OUR PRODUCT ECOSYSTEM

We offer a wide range of hospitality products tailored to meet the needs of motels, hotels, and resorts nationwide.



Brand Approved
Furniture



Commercial
Lighting



Metal
Bed Frames



LED
Mirrors




Shower Doors
& Wall Panels



Flooring
& Tiles



Microfridges
& Microwaves



PTAC
Units

www.unitedhotelsupply.com
+1 352 644 9600





UNITED
HOTEL SUPPLY



Get a Quote in 24 Hours 

Thank You!

Contact Us

 info@unitedhotelsupply.com

 www.unitedhotelsupply.com

 **+1 352 644 9600**